

Listing of the Claims:

Claims 1-20 (cancelled).

21. (Currently Amended) A method of transferring a plurality of personalized information from a first portable device having a first memory to a second portable device having a second memory, comprising steps of:

establishing a connection between the first portable device and a computing device;

transmitting a first set of one or more of the plurality of personalized information of the first portable device from said first memory to the computing device;

receiving a user selection of a second set of one or more personalized information to be transmitted to the second portable device, wherein the second set is selected from the first set of one or more personalized information;

establishing a connection between the computing device and the second portable device;

requesting data format specifications from the second portable device;

modifying the second set of one or more personalized information in accordance with the ~~capabilities of the second portable device~~ requested data format specifications; and

transmitting the modified second set of one or more personalized information to the second portable device.

22. (Previously Presented) The method according to claim 21, wherein the personalized information includes at least one of a phonebook content, a message content, a profile setting, a phone and call setting or a service setting.

23. (Previously Presented) The method according to claim 21, wherein the established connections between the computing device and the first and second portable devices are a wire-based data connection.

24. (Previously Presented) The method according to claim 21, further comprising step of:

evaluating the second phone's capabilities to receive the selected one or more personalized information.

25. (Previously Presented) The method according to claim 21, wherein the first set of one or more personalized information is user selected.

26. (Previously Presented) The method according to claim 21, wherein each connection between the first and second portable devices and the computing device comprises a secure WAP session.

27. (Cancelled).

28. (Cancelled).

29. (Currently Amended) A computer readable medium storing computer readable instructions that, when executed by a process, cause a data transfer application on a computing device to perform a method comprising the steps of:

establishing a connection with a first portable device, the first portable device having a first memory storing a plurality of personalized information;

~~receiving-transmitting~~ a first set of one or more of the plurality of personalized information of the first portable device from said first memory to the computing device using a data transfer application;

receiving a user selection of a second set of one or more personalized information to transmit to a second portable device, wherein the second set is selected from the first set of one or more personalized information;

establishing a connection with the second portable device;

~~requesting~~ data format specifications from the second portable device;

modifying the second set of one or more personalized information in accordance with the ~~capabilities of the second portable device~~ requested data format specifications; and

transmitting the modified second set of one or more personalized information to the second portable device.

30. (Previously Presented) The computer readable medium of claim 29, the method further comprising the step of:
evaluating the second portable device's capabilities.

31. (Previously Presented) The computer readable medium of claim 29, wherein the first set of one or more personalized information is user selected.

32. (Previously Presented) The computer readable medium of claim 29, wherein each connection between the computing device and the first and second portable devices comprises a WAP session.

33. (Cancelled).

34. (Cancelled).

35. (Currently Amended) A system for transferring personalized information between two or more portable devices, comprising:

a first portable device having a first memory storing a plurality of personalized information;

a second portable device having a second memory;

a computing device, wherein the computing device receives from the first portable device a user selected first set of one or more of the plurality of personalized information; and

a data transfer application stored on the computing device, wherein the data transfer application modifies, in accordance with a capability of data format specifications requested from the second portable device, a second set of one or more of the plurality personalized information selected from the first set, wherein the second set is selected by a user for transmission to the second portable device.

36. (Previously Presented) The system of claim 35, wherein the data transfer application evaluates the second phone's capabilities to receive the user selected second set of personalized information.

37. (Previously Presented) The system of claim 35, wherein each of the first and second data connection comprises a secure WAP session.

38. (Cancelled).

39. (Cancelled).

40. (Cancelled).

41. (New) A method of transferring a plurality of personalized information from a first portable device to a second portable device, comprising steps of:

receiving a set of personalized information from the first portable device, wherein the personalized information includes a first data record;

establishing a connection between the computing device and the second portable device;

transmitting, to the second portable device, a request to write the first data record to the second portable device;

receiving, in response to the request, a confirmation including data format specifications;

modifying the second set of one or more personalized information in accordance with the data format specifications; and

transmitting the modified first data record to the second portable device.

42. (New) The method of claim 41, wherein the confirmation further includes an acknowledgment that the first data record includes new data.

43. (New) The method of claim 41, wherein the data format specifications include at least one of a data field size and a data type.

44. (New) The method of claim 41, wherein the set of personalized information is in a first data format and the data format specifications are associated with a second data format, wherein the first data format and the second data format are different.

45. (New) The method of claim 41, further comprising the steps of:
transmitting, to the second portable device, a request to write a second data record to the second portable device; and
receiving, in response to the request, a rejection identifying the second data record as information already stored on the second portable device.

46. (New) A computer readable medium storing computer readable instructions that, when executed, perform a method comprising the steps of:
receiving a set of personalized information from the first portable device, wherein the personalized information includes a first data record;
establishing a connection between the computing device and the second portable device;
transmitting, to the second portable device, a request to write the first data record to the second portable device;
receiving, in response to the request, a confirmation including data format specifications;
modifying the second set of one or more personalized information in accordance with the data format specifications; and
transmitting the modified first data record to the second portable device.

47. (New) The computer readable medium of claim 46, wherein the confirmation further includes an acknowledgment that the first data record includes new data.

48. (New) The computer readable medium of claim 46, wherein the data format specifications include at least one of a data field size and a data type.

49. (New) The computer readable medium of claim 46, wherein the set of personalized information is in a first data format and the data format specifications are associated with a second data format, and wherein the first data format and the second data format are different.

50. (New) The computer readable medium of claim 46, further comprising the steps of:

transmitting, to the second portable device, a request to write a second data record to the second portable device; and

receiving, in response to the request, a rejection identifying the second data record as information already stored on the second portable device.